




EIA

D I S T R I B U T I O N

1300 949 342

CATALOGUE

ENCLOSURES

ph: 1300 949 342

fx: 08 6222 6678

sales@eiadist.com.au

16 Murray Rd Sth
Welshpool, WA 6106

www.eiadist.com.au

EIA Distribution is a wholly Western Australian owned company specialising in the supply of Electrical, Instrumentation and Automation products locally and nationally.



Contents

Pages 3 - 4	Mild Steel Terminal Boxes
Pages 5 - 7	Mild Steel Wall Mounted Enclosures
Page 8	Mild Steel Floor Standing Enclosures
Pages 9 - 10	Stainless Steel Terminal Boxes
Pages 11 - 12	Stainless Steel Wall Mounted Enclosures
Pages 13 – 14	Stainless Steel Floor Standing Enclosures
Page 15	Aluminium Junction Boxes
Pages 16 – 17	Plastic Clear & Grey Lid Terminal Enclosures
Page 18	Polyester Enclosures

COMPACT ENCLOSURES

KT SERIE

KT TERMINAL BOXES



Material: Body, door 1.20mm mild steel + RAL 7035 coating
IP 66

Includes: 1 body, 1 door, 4 wall brackets and assembly parts

NB: The body structure is completely welded, water and dust resistant, and designed with a sealing foam gasket



Mounting Plate Application



Wall Bracket

Terminal Enclosure Steel



Steel terminal boxes with an RAL7035 powder coat finish.

Made of 1.2mm sheet steel and has an IP66 degree of Protection

Part Number	W x H x D	DESCRIPTION
MSTB15158	150w*150h*80d	TEMRINAL BOX closed type / IP66
MSTB151512	150w*150h*120d	TEMRINAL BOX closed type / IP66
MSTB201512	200w*150h*120d	TEMRINAL BOX closed type / IP66
MSTB20208	200w*200h*80d	TEMRINAL BOX closed type / IP66
MSTB202012	200w*200h*120d	TEMRINAL BOX closed type / IP66
MSTB30158	300w*150h*80d	TEMRINAL BOX closed type / IP66
MSTB301512	300w*150h*120d	TEMRINAL BOX closed type / IP66
MSTB30208	300w*200h*80d	TEMRINAL BOX closed type / IP66
MSTB302012	300w*200h*120d	TEMRINAL BOX closed type / IP66
MSTB303012	300w*300h*120d	TEMRINAL BOX closed type / IP66
MSTB401512	400w*150h*120d	TEMRINAL BOX closed type / IP66
MSTB40208	400w*200h*80d	TEMRINAL BOX closed type / IP66
MSTB402012	400w*200h*120d	TEMRINAL BOX closed type / IP66
MSTB403012	400w*300h*120d	TEMRINAL BOX closed type / IP66
MSTB404012	400w*400h*120d	TEMRINAL BOX closed type / IP66
MSTB502012	500w*200h*120d	TEMRINAL BOX closed type / IP66
MSTB503012	500w*300h*120d	TEMRINAL BOX closed type / IP66
MSTB602012	600w*200h*120d	TEMRINAL BOX closed type / IP66
MSTB603012	600w*300h*120d	TEMRINAL BOX closed type / IP66
MSTB604012	600w*400h*120d	TEMRINAL BOX closed type / IP66
MSTB802012	800w*200h*120d	TEMRINAL BOX closed type / IP66
MSTB804012	800w*400h*120d	TEMRINAL BOX closed type / IP66

COMPACT ENCLOSURES

DM SERIE

DM WALL-MOUNTED ENCLOSURES



Material: Body, door 1.20mm mild steel + RAL 7035 coating

IP – Single Door 65, Double Door 55

Includes: 1 body, 1 door, 4 wall brackets, knitted earthing cable and assembly parts

NB: The body structure is completely welded, water and dust resistant, and designed with a sealing foam gasket



Gland Plate Structure



Wall Bracket

Included in the product as standard



Plastic Gland Plate



Inner Door Rail



Earthing Cable

Included in the product as standard



Steel Wall Mount Enclosure



Part Number	W x H x D	DESCRIPTION
MSE15158	150w*150h*80d	wall Mount Enclosure- IP66 (No M/P)
MSE151512	150w*150h*120d	wall Mount Enclosure- IP66 (No M/P)
MSE15308	150w*300h*80d	wall Mount Enclosure- IP66 (No M/P)
MSE153012	150w*300h*120d	wall Mount Enclosure- IP66 (No M/P)
MSE20208	200w*200h*80d	wall Mount Enclosure- IP66 (No M/P)
MSE202012	200w*200h*120d	wall Mount Enclosure- IP66 (No M/P)
MSE20308	200w*300h*80d	wall Mount Enclosure- IP66 (No M/P)
MSE203012	200w*300h*120d	wall Mount Enclosure with M/P - IP65
MSE203015	200w*300h*150d	wall Mount Enclosure with M/P - IP65
MSE20408	200w*400h*80d	wall Mount Enclosure- IP66 (No M/P)
MSE204012	200w*400h*120d	wall Mount Enclosure - IP66 (No M/P)
MSE205012	200w*500h*120d	wall Mount Enclosure- IP66 (No M/P)
MSE303012	300w*300h*120d	wall Mount Enclosure- IP66 (No M/P)
MSE303020	300w*300h*200d	wall Mount Enclosure with M/P - IP65
MSE303021	300w*300h*210d	wall Mount Enclosure with M/P - IP65
MSE304012	300w*400h*120d	wall Mount Enclosure- IP66 (No M/P)
MSE304015	300w*400h*150d	wall Mount Enclosure with M/P - IP65
MSE3040155	300w*400h*155d	wall Mount Enclosure- IP66 (No M/P)
MSE304020	300w*400h*200d	wall Mount Enclosure with M/P - IP65
MSE304021	300w*400h*210d	wall Mount Enclosure with M/P - IP65
MSE3060155	300w*600h*155d	wall Mount Enclosure- IP66 (No M/P)
MSE3080155	300w*800h*155d	wall Mount Enclosure- IP66 (No M/P)
MSE383015	380w*300h*150d	wall Mount Enclosure with M/P - IP65
MSE383021	380w*300h*210d	wall Mount Enclosure with M/P - IP65
MSE383821	380w*380h*210d	wall Mount Enclosure with M/P - IP65
MSE386021	380w*600h*210d	wall Mount Enclosure with M/P - IP65
MSE386035	380w*600h*350d	wall Mount Enclosure with M/P - IP65



Steel Wall Mount Enclosure



Part No	W x H x D	Item Description
MSE403020	400w*300h*200d	wall Mount Enclosure with M/P - IP65
MSE404020	400w*400h*200d	wall Mount Enclosure with M/P - IP65
MSE405020	400w*500h*200d	wall Mount Enclosure with M/P - IP65
MSE405021	400w*500h*210d	wall Mount Enclosure with M/P - IP65
MSE406020	400w*600h*200d	wall Mount Enclosure with M/P - IP65
MSE406028	400w*600h*280d	wall Mount Enclosure with M/P - IP65
MSE505020	500w*500h*200d	wall Mount Enclosure with M/P - IP65
MSE505021	500w*500h*210d	wall Mount Enclosure with M/P - IP65
MSE505028	500w*500h*280d	wall Mount Enclosure with M/P - IP65
MSE505030	500w*500h*300d	wall Mount Enclosure with M/P - IP65
MSE506020	500w*600h*200d	wall Mount Enclosure with M/P - IP65
MSE506021	500w*600h*210d	wall Mount Enclosure with M/P - IP65
MSE507020	500w*700h*200d	wall Mount Enclosure with M/P - IP65
MSE507021	500w*700h*210d	wall Mount Enclosure with M/P - IP65
MSE507028	500w*700h*280d	wall Mount Enclosure with M/P - IP65
MSE603821	600w*380h*210d	wall Mount Enclosure with M/P - IP65
MSE603835	600w*380h*350d	wall Mount Enclosure with M/P - IP65
MSE604020	600w*400h*200d	wall Mount Enclosure with M/P - IP65
MSE604028	600w*400h*280d	wall Mount Enclosure with M/P - IP65
MSE606020	600w*600h*200d	wall Mount Enclosure with M/P - IP65
MSE606021	600w*600h*210d	wall Mount Enclosure with M/P - IP65
MSE606035	600w*600h*350d	wall Mount Enclosure with M/P - IP65
MSE607621	600w*760h*210d	wall Mount Enclosure with M/P - IP65
MSE607635	600w*760h*350d	wall Mount Enclosure with M/P - IP65
MSE608025	600w*800h*250d	wall Mount Enclosure with M/P - IP65
MSE608028	600w*800h*280d	wall Mount Enclosure with M/P - IP65
MSE6010025	600w*1000h*25d	wall Mount Enclosure with M/P - IP65
MSE6010028	600w*1000h*28d	wall Mount Enclosure with M/P - IP65
MSE60115028	600w*1150h*28d	wall Mount Enclosure with M/P - IP65
MSE6012030	600w*1200h*30d	wall Mount Enclosure with M/P - IP65
MSE767621	760w*760h*210d	wall Mount Enclosure with M/P - IP65
MSE8010028	800w*1000h*28d	wall Mount Enclosure with M/P - IP65
MSE8010030	800w*1000h*30d	wall Mount Enclosure with M/P - IP65
MSE8011528	800w*1150h*28d	wall Mount Enclosure with M/P - IP65
MSE1008028	1000w*800h*28d	wall Mount Enclosure with M/P - IP65
MSE10011528	1000w*1150h*2d	wall Mount Enclosure with M/P - IP65

16 Murray Rd Welshpool 6106 Phone 1300949342 Fax 6222 6678

Email : sales@eiadist.com.au

Web: www.eiadist.com.au



Floor Standing Enclosure Steel

IP55 degree of Protection

Part number	W x H x D	Description
MSFE6018050	600w*1800h*500d	Floor Standing Enclosure Mild Steel With Sides
MSFE6020040	600w*2000h*400d	Floor Standing Enclosure Mild Steel With Sides
MSFE6020060	600w*2000h*600d	Floor Standing Enclosure Mild Steel With Sides
MSFE12020050	1200w*2000h*500d	Floor Standing Enclosure Mild Steel With Sides



STAINLESS STEEL ENCLOSURES


KT STAINLESS STEEL TERMINAL BOXES



Material: Body, door 1.50mm 316 stainless steel

IP 66

Includes: 1 body, 1 door, 4 wall brackets and assembly parts



MOUNTING PLATE APPLICATION



WALL BRACKET





Terminal Enclosure 316 Stainless



Made of 316 grade Stainless Steel this range is suitable for marine, industrial, mining, food processing and other applications where corrosion is a concern.

Made of 1.5mm sheet steel. Mounting panels are made of 2mm Zinc coated steel. Internal mounting panel sold separately.

IP66 degree of protection.

Part Number	W x H x D	DESCRIPTION
SSTB15158	150w*150h*80d	Terminal Box 316 Stainless
SSTB151512	150w*150h*120d	Terminal Box 316 Stainless
SSTB201512	200w*150h*120d	Terminal Box 316 Stainless
SSTB20208	200w*200h*80d	Terminal Box 316 Stainless
SSTB202012	200w*200h*120d	Terminal Box 316 Stainless
SSTB30158	300w*150h*80d	Terminal Box 316 Stainless
SSTB301512	300w*150h*120d	Terminal Box 316 Stainless
SSTB30208	300w*200h*80d	Terminal Box 316 Stainless
SSTB302012	300w*200h*120d	Terminal Box 316 Stainless
SSTB303012	300w*300h*120d	Terminal Box 316 Stainless
SSTB304015	300w*400h*150d	Terminal Box 316 Stainless
SSTB401512	400w*150h*120d	Terminal Box 316 Stainless
SSTB40208	400w*200h*80d	Terminal Box 316 Stainless
SSTB402012	400w*200h*120d	Terminal Box 316 Stainless
SSTB403012	400w*300h*120d	Terminal Box 316 Stainless
SSTB404012	400w*400h*120d	Terminal Box 316 Stainless
SSTB502012	500w*200h*120d	Terminal Box 316 Stainless
SSTB503012	500w*300h*120d	Terminal Box 316 Stainless
SSTB602012	600w*200h*120d	Terminal Box 316 Stainless
SSTB603012	600w*300h*120d	Terminal Box 316 Stainless
SSTB802012	800w*200h*120d	Terminal Box 316 Stainless
SSTB804012	800w*400h*120d	Terminal Box 316 Stainless

STAINLESS STEEL ENCLOSURES


DM STAINLESS STEEL
WALL-MOUNTED ENCLOSURES




Material: Body, door 1.50mm 316 stainless steel
IP 66

Includes: 1 body, 1 door, 4 wall brackets, knitted earthing cable and assembly parts


Surface Process: Brush Stainless pattern




Mounting plate



Version 1



Version 2



Version 3

316 stainless Wall Mount Enclosure



Made of 316 grade Stainless Steel this range is suitable for marine, industrial, mining, food processing and other applications where corrosion is a concern.

Up to SSE6820 is made of 1.2mm stainless sheet steel.

Larger sizes are made of 1.5mm stainless sheet steel.

Mounting panels are made of 2mm Zinc coated steel.

IP66 degree of protection.

Part Number	W x H x D	DESCRIPTION
SSE202515	200w*250h*150d	wall Mount Enclosure with M/P - 316
SSE253015	250w*300h*150d	wall Mount Enclosure with M/P - 316
SSE303015	300w*300h*150d	wall Mount Enclosure with M/P - 316
SSE304015	300w*400h*150d	wall Mount Enclosure with M/P - 316
SSE304020	300w*400h*200d	wall Mount Enclosure with M/P - 316
SSE383821	380w*380h*210d	wall Mount Enclosure with M/P - 316
SSE404020	400w*400h*200d	wall Mount Enclosure with M/P - 316
SSE405020	400w*500h*200d	wall Mount Enclosure with M/P - 316
SSE405025	400w*500h*200d	wall Mount Enclosure with M/P - 316
SSE406020	400w*600h*200d	wall Mount Enclosure with M/P - 316
SSE406028	400w*600h*280d	wall Mount Enclosure with M/P - 316
SSE406030	400w*600h*300d	wall Mount Enclosure with M/P - 316
SSE505025	500w*500h*250d	wall Mount Enclosure with M/P - 316
SSE507020	500w*700h*200d	wall Mount Enclosure with M/P - 316
SSE507028	500w*700h*280d	wall Mount Enclosure with M/P - 316
SSE604020	600w*400h*200d	wall Mount Enclosure with M/P - 316
SSE606025	600w*600h*250d	wall Mount Enclosure with M/P - 316
SSE608020	600w*800h*200d	wall Mount Enclosure with M/P - 316
SSE608025	600w*800h*250d	wall Mount Enclosure with M/P - 316
SSE608028	600w*800h*280d	wall Mount Enclosure with M/P - 316
SSE608030	600w*800h*300d	wall Mount Enclosure with M/P - 316
SSE6010025	600w*1000h*250d	wall Mount Enclosure with M/P - 316
SSE6011528	600w*1150h*280d	wall Mount Enclosure with M/P - 316
SSE808025	800w*800h*250d	wall Mount Enclosure with M/P - 316
SSE8010025	800w*1000h*250d	wall Mount Enclosure with M/P - 316
SSE8010030	800w*1000h*300d	wall Mount Enclosure with M/P - 316
SSE8011528	800w*1150h*280d	wall Mount Enclosure with M/P - 316
SSE8012030	800w*1200h*300d	wall Mount Enclosure with M/P - 316
SSE10010028	1000w*1000h*280d	wall Mount Enclosure with M/P - 316

16 Murray Rd Welshpool 6106 Phone 1300949342 Fax 6222 6678

Email : sales@eiadist.com.au

Web: www.eiadist.com.au

STAINLESS STEEL ENCLOSURES

DT FLOOR STANDING
STAINLESS STEEL ENCLOSURES



Material: Body, rear panel, top cover and plinth panels – 1.5mm 316 Stainless Steel sheet
Door and plinth corners – 2.0mm 316 Stainless Steel sheet.

Surface process: Natural stainless surface process

IP 55

Supply includes: 1 set of panel body, 1 pcs door, 1 pcs rear panel, 1 pcs top cover, 1 set of gland plate, 1 set of H100mm plinth, 1 set of enclosure combination kit, 4 pcs lifting hook, 1 mounting plate



Floor Standing Enclosure Stainless Steel

IP55 degree of Protection

Part number	Description
SSFE6018050	600W*1800H*500d SS316 FLOORSTANDING CABINET with M/P - IP55
SSFE8018040	800*1800*400 mm SS316 FLOORSTANDING CABINET with M/P - IP55
SSFE6020050	600*2000*500 mm SS316 FLOORSTANDING CABINET with M/P - IP55
SSFE60200600	600*2000*600 mm SS316 FLOORSTANDING CABINET with M/P - IP55

Stainless Steel Floor Enclosure Side Panels

SSFES18040	1800x400 mm SIDE PANELS -SS316 Pair
SSFES18050	1800x500 mm SIDE PANELS -SS316 Pair
SSFES20050	2000x500 mm SIDE PANELS -SS316 Pair
SSFES20060	2000x600 mm SIDE PANELS -SS316 Pair



16 Murray Rd Welshpool 6106 Phone 1300949342 Fax 6222 6678
 Email : sales@eiadist.com.au Web: www.eiadist.com.au

ALUMINIUM JUNCTION BOX

Part Number	W x H x D	DESCRIPTION	QTY
AL504530	50w*45h*30d	Aluminium Junction Box	1
AL586436	58w*64h*36d	Aluminium Junction Box	1
AL986434	98w*64h*34d	Aluminium Junction Box	1
AL156436	150w*64h*36d	Aluminium Junction Box	1
AL807557	80w*75h*57d	Aluminium Junction Box	1
AL128057	125w*80h*57d	Aluminium Junction Box	1
AL178057	175w*80h*57d	Aluminium Junction Box	1
AL1501080	150w*100h*80d	Aluminium Junction Box	1
AL1758080	175w*80h*80d	Aluminium Junction Box	1
AL101080	100w*100h*80d	Aluminium Junction Box	1
AL1221280	122w*120h*80d	Aluminium Junction Box	1
AL221290	220w*120h* 90d	Aluminium Junction Box	1
AL161690	160w*160h*90d	Aluminium Junction Box	1
AL261690	260w*160h*90d	Aluminium Junction Box	1
AL241610	240w*160h*100d	Aluminium Junction Box	1
AL258080	250w*80h*80d	Aluminium Junction Box	1
AL282310	280w*230h*110d	Aluminium Junction Box	1
AL361090	360w*160h*90d	Aluminium Junction Box	1
AL332312	320w*230h*120d	Aluminium Junction Box	1
AL332318	330w*230h*180d	Aluminium Junction Box	1
AL258057	250w*80h*57d	Aluminium Junction Box	1
AL202310	200w*230h*110d	Aluminium Junction Box	1

Aluminium Junction Box (With Push Button Hole)

ALPB807557	80w*75h*57d Aluminium Junction Box with 1 Hole	1
------------	--	---



16 Murray Rd Welshpool 6106 Phone 1300949342 Fax 6222 6678
 Email : sales@eiadist.com.au Web: www.eiadist.com.au



Terminal Enclosure Plastic Clear Lid IP66 /67

PC506555	50w*65h*55d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS659555	65w*95h*55d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS751275	75w*125h*75d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS751210	75w*125h*100d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS801170	80w*110h*70d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS801185	80w*110h*85d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS801160	80w*110h*60d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS801145	80w*110h*45d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS801370	80w*130h*70d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS801385	80w*130h*85d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS801690	80w*160h*90d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS801655	80w*160h*55d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS801870	80w*180h*70d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS801885	80w*180h*85d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS802570	80w*250h*70d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS802585	80w*250h*85d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS121210	125w*125h*100d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS121275	125w*125h*75d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS121775	125w*175h*75d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS121710	125w*175h*100d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS141795	140w*170h*95d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS142390	140w*230h*90d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS152010	150w*200h*100d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS152013	150w*200h*130d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS152510	150w*250h*100d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS152513	150w*250h*130d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS171775	175w*175h*75d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS171710	175w*175h*100d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS172575	175w*250h*75d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS172510	175w*250h*100d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS202013	200w*200h*130d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS202095	200w*200h*95d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS281913	280w*190h*130d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS281918	280w*190h*180d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS282813	280w*280h*130d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS282818	280w*280h*180d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS342813	340w*280h*130d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS342818	340w*280h*180d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS283813	280w*380h*130d	Terminal Enclosure Plastic Clear Lid IP66/67
PCS283818	280w*380h*180d	Terminal Enclosure Plastic Clear Lid IP66/67



Terminal Enclosure Plastic Grey Lid IP66 /67

PGS506555	50w*65h*55d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS699555	65w*95h*55d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS751275	75w*125h*75d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS751510	75w*125h*100d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS808060	80w*80h*60d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS801170	80w*110h*70d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS801185	80w*110h*85d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS081160	80w*110h*60d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS801145	80w*110h*45d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS801370	80w*130h*70d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS801385	80w*130h*85d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS801690	80w*160h*90d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS801655	80w*160h*55d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS801870	80w*180h*70d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS801858	80w*180h*85d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS802570	80w*250h*70d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS802585	80w*250h*85d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS101075	100w*100h*75d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS121210	125w*125h*10d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS121275	125w*125h*75d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS121775	125w*175h*75d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS121710	125w*175h*10d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS141795	140w*170h*95d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS142390	140w*230h*90d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS152010	150w*200h*10d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS152013	150w*200h*13d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS152510	150w*250h*10d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS152513	150w*250h*13d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS181875	180w*180h*75d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS171710	175w*175h*10d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS172575	175w*250h*75d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS172510	175w*250h*10d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS202013	200w*200h*13d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS202095	200w*200h*95d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS281913	280w*190h*130d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS281918	280w*190h*180d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS282813	280w*280h*130d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS282818	280w*280h*180d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS342813	340w*280h*130d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS342818	340w*280h*180d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS283813	280w*380h*130d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS283818	280w*380h*180d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS285613	280w*560h*130d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS334318	330w*430h*180d	Terminal Enclosure Plastic Grey Lid IP66/67
PGS385618	380w*560h*180d	Terminal Enclosure Plastic Grey Lid IP66/67

16 Murray Rd Welshpool 6106 Phone 1300949342 Fax 6222 6678
Email : sales@eiadist.com.au Web: www.eiadist.com.au

Polyester Enclosure



Polyester Enclosure

Fibre Glass reinforced polyester enclosures provides a high degree of mechanical protection. They weigh 1/3 of an equivalent metal enclosure and are perfect for use in highly corrosive environments.

With a IP66 degree of protection they are suitable for use in harsh environments.

Included Internal mounting panel

Part Number	W x H x D	DESCRIPTION
TIP253014	250w*300h*140d	Wall Mount Enclosure. Polyester
TIP304020	300w*400h*200d	Wall Mount Enclosure. Polyester
TIP404020	400w*400h*200d	Wall Mount Enclosure. Polyester
TIP405020	400w*500h*200d	Wall Mount Enclosure. Polyester
TIP406023	400w*600h*230d	Wall Mount Enclosure. Polyester
TIP605023	500w*600h*230d	Wall Mount Enclosure. Polyester
TIP608030	600w*800h*300d	Wall Mount Enclosure. Polyester