

EIA

D I S T R I B U T I O N

1300 949 342

CATALOGUE

HEAVY DUTY CONNECTORS & FLEXIBLE CONDUIT

ph: 1300 949 342

fx: 08 6222 6678

sales@eiadist.com.au

16 Murray Rd Sth
Welshpool, WA 6106

www.eiadist.com.au

EIA Distribution is a wholly Western Australian owned company specialising in the supply of Electrical, Instrumentation and Automation products locally and nationally.

Heavy duty Connectors

heavy duty connectors are mainly used in control panels, robotics, industrial automation and wherever connections are required for power, control and signal circuits in industrial or in particularly harsh environments for the presence of aggressive substances. Multipole Connectors are suitable for the use with alternate and direct current and to facilitate the manufacturing process, installation and maintenance of sectional electric parts in complex machinery



Part number	Description	QTY
7203.6001.0	Screw Type Insert Female 3P	1
7203.6101.0	SCREW Type Insert Male 3P	1
7210.4401.0	Screw Type Insert Female 10P	1
7210.4411.0	Screw Type Insert Male 10P	1
7216.4402.0	Screw Type Insert Female 16p	1
7216.4412.0	Screw Type Insert Male 16P	1
7803.6202.A	BH.Mount Housing 1 Lever S/S	1
7803.6228.0	Hood 4C + E 6PIN 1	
7803.6230.0	Hood Side Entry Std Male 20M	1
7803.6802.0	Protect Cover Female 3 &4 Pin	1
7803.6885.A	Protect Cover Male 1 Lever	1
7806.7205.0	Housings with Automatic Cover	1
7810.4541.0	BH Mount Housing 1 Lever 10 Pin	1
7810.4561.0	Hood Top Entry M20 10 Pin	1
7810.4581.0	Hood Side Entry M20 10 Pin	1
7810.6412.0	BH Mount 10 PIN 2 Levers	1
7810.6570.0	Hood Top Entry with 4 Pegs 10p	1
7810.6598.0	Hood Top Entry with2 Lever 10p	1
7810.7003.0	Hood Top Entry with2 Lever 10p	1
7810.7206.0	BH Mount Automatic Cover 10p	1
7816.4543.0	BH Mount Housing 1 Lever	1
7816.4566.0	Hood Top Entry with 2 Pegs	1
7816.6413.0	BH Mounting with2 lever 16p	1
7816.6457.0	Hood Top Entry with Levers 16p	1
7816.6572.0	Hood Top Entry with 4 Pegs 16p	1
7816.6587.0	Hood Top Entry with 2 Lever16p	1
7816.7207.0	BH Mount Automatic Cover 16p	1

Flexible Conduit Systems


Hi-Flex

Metallic and non-metallic flexible conduit systems.

The Hi-Flex range of flexible conduit and fittings includes products tested to comply with the rigorous requirements of AS/NZS 2053.1:2001 conduit and fittings for electrical installations – general requirements and AS/NZS 2053.8.1995 conduit and fittings for electrical installations – flexible conduit and fittings of metal or composite material



Description	QTY
HI FLEX FITTING M20 X1.5 45deg	1
HI FLEX FITTING M25 X1.5 45deg	1
HI FLEX FITTING M40 X1.5 45deg	1
HI FLEX FITTING M20 X1.5 90deg	1
HI FLEX FITTING M25 X1.5 90deg	1
HI FLEX FITTING M40 X1.5 90deg	1
HI FLEX FITTING M20 X 1.5 Straight	1
HI FLEX FITTING M25 X1.5 Straight	1
HI FLEX FITTING M32 X1.5 Straight	1
HI FLEX FITTING M40 X1.5 Straight	1



HI FLEX tubing

Description	Roll size
HI FLEX 20MM CONDUIT BLACK	10,25,50 roll
HI FLEX 25MM CONDUIT BLACK	10,25,50 roll
25MM IND GRADE FLEX GREY CONDU	10,25,50 roll
HI FLEX CONDUIT 32MM BLACK	10,25 roll
HI FLEX CONDUIT 40MM BLACK	10,25 roll